

LUSSO 20 



LUSO²⁰

[!\[\]\(3dfb8d66e81160ad61421a3452093d1b_img.jpg\) Lusso20](#) | [!\[\]\(21ece2018b00c7267b3324c50bbed633_img.jpg\) Lusso20_UK](#) | [!\[\]\(074da87f0b7a74793bdf823413604aae_img.jpg\) Lusso20_UK](#) | [!\[\]\(e3dcb983f6af01f6fe3b18e0a7169676_img.jpg\) Lusso20](#)

[!\[\]\(99f58673407353e96a019fbca558fd72_img.jpg\) Lusso20](#) | [!\[\]\(2113e5cba4d11862fa536c379e9b61cd_img.jpg\) Lusso20](#)



INDEX

stone effect


SANDSTONE	18 - 21
FOSSIL	22 - 25
TERRAZZO	26 - 29
BLUESTONE	30 - 33
ALPINE	34 - 37
BALKAN	38 - 39
TABLET	40 - 43
MINERAL	44 - 47
PARTE	48 - 51
IMPERIAL	52 - 55

concrete & metal effect

METAL	56 - 59
SHADE	60 - 65
SIMPLE	66 - 69
EVO	70 - 73
CEMENT	74 - 77
MIX	78 - 81

wood effect

PLANK	82 - 85
TIMBER	86 - 89
BIRCH	90 - 93



BLUESTONE GREY


LUSSO²⁰

REWRITING OUTDOOR SURFACES.

The LUSSO20 project offers outdoor surfaces in 2 cm thick technical porcelain stoneware. From a natural stone look to warm wood-effects, LUSSO20 comprises a range of unrivalled materials dedicated to landscape design.

PRIVATE AND PUBLIC, ANYWHERE OUTSIDE.

With its unique functionality and technical solutions, LUSS020 ensures maximum flexibility of use in large-scale public and residential spaces. LUSS020 is ideal in ultra-resistant multi-functional spaces or as an outdoor solution, has no application limits, and offers cutting-edge projects sophisticated material inspiration.





METAL PEWTER

SAFE AND STYLISH SURFACES

LUSS020 safely addresses all needs relating to the pool world. The monolithic slabs comprise only natural raw materials and are extremely hygienic; their low porosity does not hold humidity, bacteria LUSS020 surfaces are hypo-allergenic and ensure maximum safety as well as beauty.





FOSSIL TAUPE



FOSSIL GREY & TERRAZZO GREY




LUSSO20 REWRITES OUTDOOR SURFACES


International designers opt for LUSSO20 collections because they are synonymous with ceramic quality and aesthetic perfection. LUSSO20 porcelain stoneware is a first-rate technical product within the ceramic industry and guarantees maximum reliability and Made in Italy excellence.

LUSSO²⁰







CORNER WITH BULLNOSE
80x80




STEP TREAD WITH BULLNOSE
40x80




CORNER GRATING
16x80




CORNER DUCT
8x16x80




GRATING
16x80



DUCT
8x16x80



RISER WITH GROOVE
20x80



ASSEMBLED STEP TREAD
40x80

LUSSO20 meets all functional outdoor requirements with a complete system of special pieces to match the flat flooring solutions.


COLOUR RANGE

STONE EFFECT




COLOUR RANGE

CONCRETE & METAL EFFECT



WOOD EFFECT



With more than 40 material effects, **LUSSO20** meets all outdoor needs, stylishly and safely.

SIZE & COLOUR CHART

R11 / A + B + C ■ 20 mm

COLLECTIONS	PAGE	COLOURS								
			60x120 cm 23 ¹ / ₂ "x47 ¹ / ₄ "	40x120 cm 15 ³ / ₄ "x47 ¹ / ₄ "	30x120 cm 11 ⁷ / ₈ "x47 ¹ / ₄ "	80x80 cm 31 ¹ / ₂ "x31 ¹ / ₂ "	60x60 cm 23 ¹ / ₂ "x23 ¹ / ₂ "	60x90 cm 23,6"x35,4"	120x120 cm 48"x48"	100x100 cm 39,3"x39,3"
STONE EFFECT	SANDSTONE	Beige	■						■	
		Grey	■						■	
	FOSSIL	Grey	■			■	■			
		Anthracite	■			■	■			
		Taupe	■			■	■			
	TERRAZZO	Decor				■				
		Grey				■				
	BLUESTONE	Beige				■				
		Grey				■				
	ALPINE	Beige	■							
		Grey	■							
	BALKAN	Grey	■			■				
	TABLET	Beige		■						
		Grey		■						
	MINERAL	Beige							■	
Grey								■		
Black								■		
PARTE	Beige	■						■		
	Grey	■						■		
	Smoke	■						■		
IMPERIAL	Royal Black	■							■	
	Royal Brown	■							■	
	Royal Beige	■							■	
	Royal Grey	■							■	
	Royal White	■							■	
METAL	Brass				■	■				
	Pewter				■	■				
	Ferro				■	■				
	Copper				■	■				
SHADE	Blush	■			■					
	Taupe	■			■					
	Grey	■			■					
	Anthracite	■			■					
	Terrazzo Grey				■					
	Terrazzo Taupe				■					
SIMPLE	White	■			■					
	Hemp	■			■					
	Terracotta	■			■					
	Ash	■			■					
EVO	Grey	■				■		■		
	Pearl	■				■		■		
	Sand					■				
	Smoke					■				
CEMENT	Evo Decor					■				
	Dark	■				■			■	
	Dove	■				■			■	
	Grey	■				■			■	
	Beige	■				■			■	
MIX	Ivory	■				■			■	
	White	■				■			■	
	Dark	■				■			■	
	Grey	■				■			■	
PLANK	Beige	■				■			■	
	White	■				■			■	
	Taupe			■						
TIMBER	Honey			■						
	Grey			■						
	Natural			■		■				
BIRCH	Taupe			■		■				
	Grey			■		■				
	Caramel Brown	■		■						
BIRCH	Almond	■		■						

UNBEATABLE QUALITY

LUSSO²⁰



LATEST-GENERATION
MONOLITHIC
PORCELAIN STONEWARE



EASY TO LAY, REMOVABLE
AND REUSABLE



SPECIAL PIECES FOR
GARDENS, STEPS AND
SWIMMING-POOLS



DRIVE-OVER FOR CARS
(IF LAID WITH ADHESIVE)



DOES NOT ABSORB STAINS
OR ACIDS, EASY TO CLEAN



RESISTANT TO FROST
AND WEATHER



IMMUNE TO SALT, MOULD,
FERTILISERS AND PLANT
TREATMENT PRODUCTS



IMMUNE TO TIME

LUSSO20 is the 2 cm thick technical porcelain stoneware that makes for **highly resistant surfaces.**

SANDSTONE 60x120 - 60x60

STONE EFFECT



SANDSTONE

STONE EFFECT



floor: grey

The best-performing, most high-tech material, unbeatable for **durability, strength and ease of maintenance.**

SANDSTONE



floor: grey

SANDSTONE 60x120 - 60x60

20 mm



R11



A+B



compliant



compliant



<175mm³



V2



frost
resistance

STONE EFFECT



BEIGE
60x120 **ITSL02BA2**
60x60 **ITSL02682**

60x120

60x60

20 mm



R11

A+B

compliant

compliant

<175mm³

V2

frost resistance

60x120 - 60x60 SANDSTONE



STONE EFFECT

GREY

60x120 ITSL03BA2

60x60 ITSL03682



			
	SURFACE	60x120 cm 23 1/2" x 47 1/4"	60x60 cm 23 1/2" x 23 1/2"
SAND	Antislip	ITSL02BA2	ITSL02682
GREIGE	Antislip	ITSL03BA2	ITSL03682

FOSSIL 60x120 - 80x80 - 60x60

STONE EFFECT





FOSSIL

The quality of LUSS020 knows no boundaries. The large slabs for outdoor use are enriched with visually attractive decorative rug-effects. **The quality of the material offers excellent resistance to wear and tear and guarantees lasting beauty in every living environment.**

STONE EFFECT

FOSSIL



FOSSIL 60x120 - 80x80 - 60x60

20 mm



R11



A+B



compliant



compliant



<math><175\text{mm}^3</math>



V2



frost
resistance

STONE EFFECT



GREY
60x120 **ITSI03BA2**
80x80 **ITSI03882**
60x60 **ITSI03682**



TAUPE
60x120 **ITSI04BA2**
80x80 **ITSI04882**
60x60 **ITSI04682**



60x120



80x80



60x60

20 mm



R11



A+B



compliant



compliant



<175mm³



V2



frost
resistance

60x120 - 80x80 - 60x60 **FOSSIL**




ANTHRACITE

60x120 **ITSI05BA2**

80x80 **ITSI05882**

60x60 **ITSI05682**



DECOR

80x80 **ITSID0882F**

STONE EFFECT



				
	SURFACE	60x120 cm 23 1/2" x 47 1/4"	80x80 cm 31 1/2" x 31 1/2"	60x60 cm 23 1/2" x 23 1/2"
GREY	Antislip	ITSI03BA2	ITSI03882	ITSI03682
TAUPE	Antislip	ITSI04BA2	ITSI04882	ITSI04682
ANTHRACITE	Antislip	ITSI05BA2	ITSI05882	ITSI05682
DECOR	Antislip	ITSID0882F		

TERRAZZO 80x80

STONE EFFECT



TERRAZZO



Terrazzo is unique, perfect and inimitable materials, designed for unison in combinations of unprecedented beauty, ensuring impeccable material design. The technological match follows a philosophy of material fusion for shaping contemporaneity. LUSSO20 maximises the chromatic and graphic wealth of surfaces. The meticulous reproduction of natural sediments emerges to tell a new story in the field of ceramics.

STONE EFFECT


TERRAZZO



TERRAZZO 80x80



STONE EFFECT



GREY
80x80 ITCG01882



20 mm



R11

A+B

compliant

compliant





<175mm³

V2

frost resistance

80x80 TERRAZZO

STONE EFFECT



ANTHRACITE
80x80 ITCG02882

80x80

		
	SURFACE	80x80 cm 31 1/2"x31 1/2"
GREY	Antislip	ITCG01882
ANTHRACITE	Antislip	ITCG02882

BLUESTONE 80x80

STONE EFFECT



BLUESTONE



Bluestone celebrates one of Europe's finest stone materials, Belgian Blue-stone.

LUSS020 has reinterpreted its inspiring material while retaining its geological history with harmonious colour variations and a bright micro-grain.

With its extensive ceramic know-how, Bluestone interprets modern architectonic surfaces in a brand-new way.

STONE EFFECT


BLUESTONE



BLUESTONE 80x80



STONE EFFECT



BEIGE
80x80 ITIB02882



20 mm



R11



A+B



compliant



compliant



<175mm³




V2



frost
resistance

80x80 **BLUESTONE**



STONE EFFECT

GREY
80x80 ITIB03882



	SUPERFICIE SURFACE	80x80 cm 31 ¹ / ₂ "x31 ¹ / ₂ "
BEIGE	Antislip	ITIB02882
GREY	Antislip	ITIB03882

ALPINE 60x120

STONE EFFECT



ALPINE

STONE EFFECT



floor: grey

The modules 20 mm thick complete a functional, versatile collection, extend application potentials and mean there are no limits to architectural design.

ALPINE



floor: beige

ALPINE 60x120

20 mm



R11

A+B

compliant

compliant

<math>< 175\text{mm}^3</math>

V2

frost resistance

STONE EFFECT



BEIGE
60x120 ITNT02BA2

60x120

20 mm



R11

A+B

compliant

compliant

<175mm³

V2

frost resistance

60x120 ALPINE



GREY
60x120 ITNT04BA2

60x120

STONE EFFECT

	SURFACE	60x120 cm 23 ^{1/2} "x47 ^{1/4} "
BEIGE	Antislip	ITNT02BA2
GREY	Antislip	ITNT04BA2

BALKAN 60x120 - 80x80

STONE EFFECT



20 mm



R11

A+B

compliant

compliant

<175mm³

V2

frost resistance

60x120 - 80x80 **BALKAN**

STONE EFFECT



GREY
60x120 **AC02BA2**



GREY
80x80 **AC02882**

60x120

80x80

			
SURFACE		60x120 cm 23 1/2" x 47 1/4"	80x80 cm 31 1/2" x 31 1/2"
GREY	Antislip	AC02BA2	AC02882

TABLET 40x120

STONE EFFECT






TABLET

STONE EFFECT

LUSSO20 surfaces combine aesthetic precision with a range of surfaces chosen with contemporary architecture in mind

TABLET



floor: ash

TABLET 40x120

20 mm



R11



A+B



compliant



compliant



<175mm³



V2



frost
resistance

STONE EFFECT



BEIGE
40x120 ITUP02CA2

40x120

20 mm



R11



A+B



compliant



compliant



<175mm³



V2



frost resistance

40x120 **TABLET**



STONE EFFECT

GREY
40x120 ITUP03CA2

40x120

	SURFACE	40x120 cm 15 ^{3/4"} x47 ^{1/4"}
BEIGE	Antislip	ITUP02CA2
GREY	Antislip	ITUP03CA2

MINERAL 60x90

STONE EFFECT





MINERAL

STONE EFFECT

Naturalness find a new, more balanced, lighter form of expression: stylistic simplicity fits ideally into a multiplicity of contexts.

MINERAL



MINERAL 60x90



STONE EFFECT



BEIGE
60x90 SIPF00018871



GREY
60x90 SIPF00018870

60x90

20 mm



R11



A+B



compliant



compliant



$<175\text{mm}^3$



V2



frost
resistance

60x90 MINERAL



BLACK
60x90 SIPF00018869

STONE EFFECT

60x90

	SURFACE	60x90 cm 23,6" x 35,4"
BEIGE	Antislip	SIPF00018871
GREY	Antislip	SIPF00018870
BLACK	Antislip	SIPF00018869

PARTE 60x120 - 60x60

STONE EFFECT



PARTE

STONE EFFECT



Parte expresses the essence of a refined, modern stone with an extremely natural texture, featuring balanced graphics and elegant colours.

A fine-grained background dotted with tiny mineral fragments creates a **highly realistic surface effect**.

PARTE



PARTE 60x120 - 60x60



BEIGE
60x60 SIPF00017882



SMOKE
60x60 SIPF00017884

60x120

60x60

STONE EFFECT

20 mm



R11

A+B

compliant

compliant

<175mm³

V2

frost resistance

60x120 - 60x60 **PARTE**



GREY
60x60 SIPF00017883

STONE EFFECT

60x120

60x60

			
	SURFACE	60x120 cm 23 ¹ / ₂ "x47 ¹ / ₄ "	60x60 cm 23 ¹ / ₂ "x23 ¹ / ₂ "
GREY	Antislip	SIPF00017889	SIPF00017883
BEIGE	Antislip	SIPF00017888	SIPF00017882
SMOKE	Antislip	SIPF00017890	SIPF00017884

IMPERIAL 100x100 - 60x120 - 60x60

STONE EFFECT





IMPERIAL

STONE EFFECT

The heft of stone and the elegance of marble meet to inspire the surfaces in the **Imperial** collection. The elemental nature of freshly hewn stone, with the subtle veins and variations typical of marble, gives life to a material that can at once be majestic yet minimalist, bold yet delicate, and seamlessly fit in with any type of interior.

IMPERIAL



IMPERIAL 100x100 - 60x120 - 60x60



R11

A+B

compliant

compliant

<175mm³

V2

frost resistance

STONE EFFECT




ROYAL BLACK
60x120 PGX126380X20



ROYAL BROWN
60x120 PGX126381X20



ROYAL BEIGE
60x120 PGX126383X20





100x100 - 60x120 - 60x60 **IMPERIAL**


STONE EFFECT



ROYAL GREY
60x120 PGX126382X20



ROYAL WHITE
60x120 PGX126384X20



				
	SURFACE	100x100 cm 39.3"x39.3"	60x120 cm 23 ¹ / ₂ "x47 ¹ / ₄ "	60x60 cm 23 ¹ / ₂ "x23 ¹ / ₂ "
ROYAL BLACK	Antislip	PGX1010380X20	PGX126380X20	PGX600380X20
ROYAL BROWN	Antislip	PGX1010381X20	PGX126381X20	PGX600381X20
ROYAL BEIGE	Antislip	PGX1010383X20	PGX126383X20	PGX600383X20
ROYAL GREY	Antislip	PGX1010382X20	PGX126382X20	PGX600382X20
ROYAL WHITE	Antislip	PGX1010384X20	PGX126384X20	PGX600384X20

METAL 80x80 - 60x60

CONCRETE & METAL EFFECT





CONCRETE & METAL EFFECT

METAL



Metal is the finest representation of the iconic beauty of metal, now enjoying its greatest ever popularity for outdoor spaces. **LUSSO20** backs up superlative elegance with all the benefits of leading-edge monolithic porcelain stoneware: extreme compactness, versatility, easy installation and resistance to thermal shocks.

METAL 80x80 - 60x60



STONE EFFECT



FERRO
80x80 ITML03882
60x60 ITML03682





PEWTER
80x80 **ITML04882**
60X60 **ITML04682**



BRASS
80x80 **ITML05882**
60X60 **ITML05682**



COPPER
80x80 **ITML02882**
60X60 **ITML02682**



		80x80 cm 31 ¹ / ₂ "x31 ¹ / ₂ "	60x60 cm 23 ¹ / ₂ "x23 ¹ / ₂ "
PEWTER	Antislip	ITML05882	ITML05682
BRASS	Antislip	ITML04882	ITML04682
COPPER	Antislip	ITML02882	ITML02682
FERRO	Antislip	ITML03882	ITML03682

SHADE 60x120 - 80x80

CONCRETE & METAL EFFECT



SHADE



floor: terrazzo grey



The outdoor modules transfer a great deal of natural appeal through the powdery quality of the pigments and a complex interweaving of micro textured details.

SHADE



floor: taupe & terrazzo taupe

SHADE 60x120 - 80x80



BLUSH
80x80 ITNU07882
60x120 ITNU07BA2

TERRAZZO TAUPE
80x80 ITNU06882C

60x120

80x80

CONCRETE & METAL EFFECT

20 mm



R11



A+B



compliant



compliant



<math>< 175\text{mm}^3</math>





V2




frost resistance

60x120 - 80x80 **SHADE**






TAUPE
80x80 ITNU06882
60x120 ITNU06BA2

TERRAZZO TAUPE
80x80 ITNU06882C



CONCRETE & METAL EFFECT

SHADE 60x120 - 80x80






ANTHRACITE
80x80 ITNU03882
60x120 ITNU03BA2

TERRAZZO GREY
80x80 ITNU02882C

CONCRETE & METAL EFFECT





CONCRETE & METAL EFFECT

GREY
80x80 ITNU02882
60x120 ITNU02BA2

TERRAZZO GREY
80x80 ITNU02882C



		60x120 cm 23 ^{1/2} "x47 ^{1/4} "	80x80 cm 31 ^{1/2} "x31 ^{1/2} "
	SURFACE		
BLUSH	Antislip	ITNU07BA2	ITNU07882
TAUPE	Antislip	ITNU06BA2	ITNU06882
TERRAZZO TAUPE	Antislip		ITNU06882C
ANTHRACITE	Antislip	ITNU03BA2	ITNU03882
GREY	Antislip	ITNU02BA2	ITNU02882
TERRAZZO GREY	Antislip		ITNU02882C

SIMPLE 60x120 - 80x80

CONCRETE & METAL EFFECT



SIMPLE



floor: ash

Simple envelops the outdoor landscape with warmth and simple yet striking charm, lending its surroundings a welcoming and relaxing atmosphere.

SIMPLE



floor: ash

CONCRETE & METAL EFFECT

SIMPLE 60x120 - 80x80



WHITE
60x120 **ITTE01BA2**
80x80 **ITTE01882**



TERRACOTA
60x120 **ITTE05BA2**
80x80 **ITTE05882**

60x120

80x80

CONCRETE & METAL EFFECT

20 mm



R11



A+B



compliant



compliant



<175mm³



V2



frost resistance

60x120 - 80x80 **SIMPLE**



HEMP
60x120 **ITTE03BA2**
80x80 **ITTE03882**



ASH
60x120 **ITTE06BA2**
80x80 **ITTE06882**

CONCRETE & METAL EFFECT



			
	SURFACE	60x120 cm 23 ¹ / ₂ "x47 ¹ / ₄ "	80x80 cm 31 ¹ / ₂ "x31 ¹ / ₂ "
WHITE	Antislip	ITTE01BA2	ITTE01882
TERRACOTA	Antislip	ITTE05BA2	ITTE05882
HEMP	Antislip	ITTE03BA2	ITTE03882
ASH	Antislip	ITTE06BA2	ITTE06882

EVO 120x120 - 60x120 - 60x60

CONCRETE & METAL EFFECT



EVO



Surfaces and colours interpreting today's decorating trends with **balance and character**.

Realistic details and hues inspired by **handmade concrete floor tiles**

A surface finish interpreting the feeling of genuine lived-in materials with style and lightness.



EVO

CONCRETE & METAL EFFECT

EVO 120x120 - 60x120 - 60x60




SAND
60x60 SIPF00011650



PEARL
60x60 SIPF00011649




GREY
60x60 SIPF00011644



SMOKE
60x60 SIPF00011647

CONCRETE & METAL EFFECT



		120x120 cm 47 ^{1/4} "x47 ^{1/4} "	60x120 cm 23 ^{1/2} "x47 ^{1/4} "	60x60 cm 23 ^{1/2} "x23 ^{1/2} "
SURFACE				
SAND	Antislip			SIPF00011650
PEARL	Antislip	SIPF00017532	SIPF00011823	SIPF00011649
GREY	Antislip	SIPF00017531	SIPF00011824	SIPF00011644
SMOKE	Antislip			SIPF00011647

20 mm



R11

A+B

compliant

compliant

<175mm³

V2

frost resistance

60x60 EVO



EVO DECOR
60x60 ITPF00016859

CONCRETE & METAL EFFECT

60x60

		□
	SURFACE	60x60 cm 23 ^{1/2} "x23 ^{1/2} "
EVO DECOR	Antislip	ITPF00016859

CEMENT 100x100 - 60x120 - 60x60

CONCRETE & METAL EFFECT

CEMENT



We live surrounded by ideas. The precision of architecture, which lets us change the horizon and make it our own; the power of design, capable of creating a space starting from a unique perspective. The cement of the sure, unchanging foundations beneath our feet, on which the city rests, and our lives unfold. It's from the streets, from these glass and iron horizons, from the character of cement and dynamism of city life that Urban is born, the new collection from Porcelaingres.

CEMENT



CEMENT 100x100 - 60x120 - 60x60




DARK
60x120 PGX126290X20



DOVE
60x120 PGX126291X20



GREY
60x120 PGX126292X20



CONCRETE & METAL EFFECT



100x100 - 60x120 - 60x60 **CEMENT**




BEIGE
60x120 **PGX126294X20**



IVORY
60x120 **PGX126293X20**



WHITE
60x120 **PGX126295X20**



		100x100 cm 39.3"x39.3"	60x120 cm 23 ^{1/2} "x47 ^{1/4} "	60x60 cm 23 ^{1/2} "x23 ^{1/2} "
DARK	Antislip	PGX1010290X20	PGX126290X20	PGX600290X20
DOVE	Antislip		PGX126291X20	PGX600291X20
GREY	Antislip	PGX1010292X20	PGX126292X20	PGX600292X20
BEIGE	Antislip		PGX126294X20	PGX600294X20
IVORY	Antislip	PGX1010293X20	PGX126293X20	PGX600293X20
WHITE	Antislip		PGX126295X20	PGX600295X20

CONCRETE & METAL EFFECT

MIX 100x100 - 60x120 - 60x60

CONCRETE & METAL EFFECT



The solid heft of cement and the natural elegance of stone come together in a simple and modern yet rich product speckled with iridescent, glittering particles that give character to the material.

MIX



CONCRETE & METAL EFFECT

MIX 100x100 - 60x120 - 60x60

20 mm



R11



A+B



compliant



compliant



<175mm³



V2



frost
resistance




DARK
60x120 PGX126393X20



GREY
60x120 PGX126392X20

CONCRETE & METAL EFFECT





100x100 - 60x120 - 60x60 **MIX**




BEIGE
60x120 **PGX126391X20**



WHITE
60x120 **PGX126390X20**

CONCRETE & METAL EFFECT



				
	SURFACE	100x100 cm 39.3"x39.3"	60x120 cm 23 ^{1/2} "x47 ^{1/4} "	60x60 cm 23 ^{1/2} "x23 ^{1/2} "
DARK	Antislip	PGX1010393X20	PGX126393X20	PGX600393X20
GREY	Antislip	PGX1010392X20	PGX126392X20	PGX600392X20
BEIGE	Antislip	PGX1010391X20	PGX126391X20	PGX600391X20
WHITE	Antislip	PGX1010390X20	PGX126390X20	PGX600390X20

PLANK 30x120



WOOD EFFECT

PLANK




An interpretation of the most classic form of **natural wood**.

Digital fidelity and a variety of veins, in warm, contemporary colours.

The value of wood looking porcelain, capable of withstanding moisture and wear.

PLANK



WOOD EFFECT

PLANK 30x120



TAUPE
30x120 SIPF00015831



HONEY
30x120 SIPF00015832

30x120

20 mm



R11



A+B



compliant



compliant



<175mm³



V2



frost
resistance

30x120 **PLANK**



GREY

30x120 **SIPF00015833**

30x120

	SURFACE	30x120 cm ² 11 ^{7/8} "x47 ^{1/4} "
TAUPE	Antislip	SIPF00015831
HONEY	Antislip	SIPF00015832
GREY	Antislip	SIPF00015833

WOOD EFFECT

TIMBER 60x60 - 30x120



WOOD EFFECT

TIMBER



Authentic sensations and stylish allure.

A selection of bright, modern and welcoming colours.

A fully comprehensive range, with sizes, surfaces and thicknesses for terraces and gardens.

TIMBER



WOOD EFFECT

TIMBER 60x60 - 30x120



TAUPE
60x60 SIPF00011749



NATURAL
60x60 SIPF00011751



GREY
60x60 SIPF00011750

WOOD EFFECT



		<input type="checkbox"/> 60x60 cm 23 ^{1/2} "x23 ^{1/2} "	<input type="checkbox"/> 30x120 cm 11 ^{7/8} "x47 ^{1/4} "
TAUPE	Antislip	SIPF00011749	SIPF00011728
NATURAL	Antislip	SIPF00011751	SIPF00011830
GREY	Antislip	SIPF00011750	SIPF00011829



BIRCH 60x120 - 30x120



WOOD EFFECT

BIRCH



The charm of wood is combined with the reliability of porcelain stoneware featuring the most advanced technical performance to create a collection with the versatility of natural materials, able to blend in with the most diverse interiors.

BIRCH



WOOD EFFECT

BIRCH 60x120 - 30x120

20 mm



R11

A+B

compliant

compliant

<175mm³

V2

frost resistance



CARAMEL BROWN
30X120 PGX123281X20



ALMOND
30X120 PGX123282X20



WOOD EFFECT

60x120

30x120

		60x120 cm 23 ¹ / ₂ "x47 ¹ / ₄ "	30x120 cm 11 ⁷ / ₈ "x47 ¹ / ₄ "
CARAMEL BROWN	Antislip	PGX126281X20	PGX123281X20
ALMOND	Antislip	PGX126282X20	PGX123282X20



- 1  Laying on grass.
- 2  Laying on gravel.
- 3  Laying on sand.
- 4  Laying on screed.
- 5  Laying as raised paving.

5 DIFFERENT
INSTALLATION
OPTIONS

INSTALLATION

DESIGN THE PERFECT OUTDOOR SPACE
WITH 5 TYPES OF INSTALLATION.

LAYING ON GRASS




Place the slabs dry on the grass and check that the gap between them is the same over the entire laying surface.

Mark out the area of turf to be removed and dig out to a depth of at least 5 cm. Create a layer of at least 3 cm of gravel (diam. 3/6 mm).

After checking that the substrate created is level, put the slabs in place and tap down gently with a rubber hammer to settle them into place and eliminate any unevenness.

LAYING ON GRAVEL



Create a layer of at least 5 cm of gravel (diam. 3/6 mm) on the existing substrate. Level the surface with a straightedge and check the flatness.

Place the slabs dry on the gravel and check that the gap between them is the same over the entire laying surface. Tap down gently with a rubber hammer to settle them into place and eliminate any unevenness.

Check the flatness of the surface created. Add gravel in the joints to level the paving. Decorative gravel larger in diameter than the type used for the substrate can also be used in the joints.

LAYING ON SAND



Prepare a layer of sand at least 5 cm thick on the existing substrate (screed or gravel). Level the surface with a straightedge and check the flatness

Place the slabs dry on the sand and check that the gap between them is the same over the entire laying surface. Tap down gently with a rubber hammer to settle them into place.

Add sand in the joints to level the paving. Clean the surface of the slabs.

LAYING ON SCREED




Clean the existing surface and check that the screed has been properly prepared: flat, dry and cured. Spread the adhesive evenly over the surface.

Put the slabs in place and tap down gently with a rubber hammer to drive out the air and ensure perfect bonding. Fit the 4/5 mm spacers into the joints.

Once the glue has dried, remove the spacers, grout the joints and clean thoroughly to remove any residues.

LAYING AS RAISED PAVING



Clean the existing surface and check that the screed is level to select the right type of pedestal. The screed must be dry and cured. Prepare the chosen pedestals, cutting the ones around the edge to size and removing any unwanted wings.

Arrange the grid of pedestals in accordance with the laying diagram, starting with those around the edge. Fit the protective tile edge clips on the pedestals against any walls.

Lay the slabs on the pedestals dry. Add a pedestal in the middle of the slab, removing the spacer wings. Systematically check the flatness and adjust the heights of the pedestals with the adjuster key to compensate for any unevenness in the substrate. A little slope of the substrate is always recommended in order to prevent water stagnation underneath the surface.

PACKING DETAILS

THE WORKING SIZES OF THE INDIVIDUAL COMMERCIAL SIZES ARE:

600x1200 mm = 596,5x1195 mm
 400x1200 mm = 397,2x1195 mm
 300x1200 mm = 297,2x1195 mm

800x800 mm = 797x797 mm
 600x600 mm = 596,5x596,5 mm
 200x300 mm = 197,5x297,2 mm

200x200 mm = 197,5x197,5 mm

■ 20 mm Antislip PACKING

		PCS / BOX	M ² / BOX	KG / BOX	PCS / PALLET	M ² / PALLET	KG / PALLET
							
	60x120 cm - 23 ¹ / ₂ "x47 ¹ / ₄ "	PCS 01	M ² 0,72 SQ.FT. 7,74	KG 32,42 LBS 71,34	PCS 36	M ² 25,92 SQ.FT. 272,97	KG 1.185,00 LBS 2.607,00
	60x120 cm - 23 ¹ / ₂ "x47 ¹ / ₄ " SIMPLE / SHADE	PCS 01	M ² 0,72 SQ.FT. 7,74	KG 32,42 LBS 71,34	PCS 32	M ² 23,04 SQ.FT. 247,97	KG 1.057,50 LBS 2.326,50
	60x120 cm - 23 ¹ / ₂ "x47 ¹ / ₄ " IMPERIAL / MIX / BIRCH	PCS 01	M ² 0,72 SQ.FT. 7,74	KG 32,76 LBS 72,22	PCS 32	M ² 23,04 SQ.FT. 247,97	KG 1.057,50 LBS 2.326,50
	60x120 cm - 23 ¹ / ₂ "x47 ¹ / ₄ " CEMENT	PCS 01	M ² 0,72 SQ.FT. 7,74	KG 32,76 LBS 72,22	PCS 25	M ² 18 SQ.FT. 193,75	KG 819 LBS 1805,58
	40x120 cm - 16"x47 ¹ / ₄ "	PCS 02	M ² 0,96 SQ.FT. 10,33	KG 43,50 LBS 95,70	PCS 24	M ² 23,04 SQ.FT. 247,97	KG 1.052,64 LBS 2.315,80
	80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	PCS 01	M ² 0,64 SQ.FT. 6,88	KG 28,27 LBS 62,19	PCS 40	M ² 25,60 SQ.FT. 275,53	KG 1.151,12 LBS 2.532,46
	60x60 cm - 23 ¹ / ₂ "x23 ¹ / ₂ "	PCS 02	M ² 0,72 SQ.FT. 7,74	KG 33,10 LBS 72,82	PCS 30	M ² 21,60 SQ.FT. 232,48	KG 1.012,79 LBS 2.228,13
	60.4x120.8 cm - 23,8"x47,5" EVO - PARTE	PCS 01	M ² 0,73 SQ.FT. 7,85	KG 32,85 LBS 72,45	PCS 30	M ² 21,90 SQ.FT. 235,72	KG 1.010,50 LBS 2.226,66
	60.4x60.4 cm - 23,8"x23,8" EVO - EVO MIX DECOR PARTE - TIMBER	PCS 02	M ² 0,73 SQ.FT. 7,85	KG 32,12 LBS 70,81	PCS 32	M ² 23,36 SQ.FT. 251,44	KG 1.053,00 LBS 2.321,46
	60.4x60.4 cm - 23,8"x23,8" HP RET EVO	PCS 02	M ² 0,73 SQ.FT. 7,85	KG 32,85 LBS 72,42	PCS 32	M ² 23,36 SQ.FT. 251,44	KG 1.076,00 LBS 2.372,17
	60.4x90.4 cm - 23,6"x35,4" MINERAL	PCS 02	M ² 1,10 SQ.FT. 11,84	KG 48,40 LBS 106,70	PCS 24	M ² 26,40 SQ.FT. 284,16	KG 1187,00 LBS 2.617,88
	30x120,8 cm - 11,8"x47,5" PLANK - TIMBER	PCS 02	M ² 0,73 SQ.FT. 7,85	KG 32,85 LBS 72,42	PCS 36	M ² 26,28 SQ.FT. 282,87	KG 1208,00 LBS 2.663,18
	60x120 cm - 23 ¹ / ₂ "x47 ¹ / ₄ " IMPERIAL / MIX / BIRCH	PCS 01	M ² 0,72 SQ.FT. 7,74	KG 32,76 LBS 72,22	PCS 32	M ² 23,04 SQ.FT. 247,97	KG 1.057,50 LBS 2.326,50
	60x120 cm - 23 ¹ / ₂ "x47 ¹ / ₄ " CEMENT	PCS 01	M ² 0,72 SQ.FT. 7,74	KG 32,76 LBS 72,22	PCS 25	M ² 18 SQ.FT. 193,75	KG 819 LBS 1805,58
	100x100 cm - 39,3"x39,3" IMPERIAL / MIX / CEMENT	PCS 01	M ² 1 SQ.FT. 10,76	KG 45,50 LBS 100,31	PCS 24	M ² 24 SQ.FT. 258,33	KG 1.092,00 LBS 2.407,44
	60x60 cm - 23 ¹ / ₂ "x23 ¹ / ₂ " IMPERIAL / MIX / CEMENT	PCS 02	M ² 0,72 SQ.FT. 7,74	KG 33 LBS 72,75	PCS 30	M ² 21,60 SQ.FT. 232,48	KG 1.012,79 LBS 2.228,13
	30x120,8 cm - 11,8"x47,5" BIRCH	PCS 02	M ² 0,72 SQ.FT. 7,75	KG 32,40 LBS 71,42	PCS 30	M ² 21,6 SQ.FT. 232,50	KG 972,00 LBS 2.142,89

TECHNICAL SPECIFICATIONS PORCELAIN STONEWARE

CONFORMING TO STANDARDS

EN 14411 ISO 13006 APPENDICE G GRUPPO BIa UGL CON Ev ≤ 0,5%

PHYSICAL PROPERTIES	TESTING METHOD	REFERENCE STANDARD	PRODUCT VALUES	
			7cm ≤ N < 15 cm (mm)	N ≥ 15 cm (%) (mm)
 Sizes	EN ISO 10545-2	Length and width	±0.9	±0.6 ±2.0
		Thickness	±0.5	±5.0 ±0.5
		Linearity	±0.75	±0.5 ±1.5
		Wedging	±0.75	±0.5 ±2.0
		Warpage	±0.75	±0.5 ±2.0
		Appearance: percentage of acceptable tiles	95 % min.	95 % min.
			Rectified Conforming	
 Water absorption %	EN ISO 10545-3	Ev ≤ 0,5%	Conforming	
 Modulus of rupture  Breakage resistance	EN ISO 10545-4	Median 35 N/mm ² min. sp. > = 7,5 mm: min 1300 N sp. < 7,5 mm: min 700 N	Conforming Conforming	
 Deep abrasion resistance	EN ISO 10545-6	175 mm ³ max.	Average < 150 mm ³	
 Thermal expansion coefficient	EN ISO 10545-8	Declared value	6,8 MK-1	
 Thermal shock resistance	EN ISO 10545-9	Pass according to ISO 10545-1	* Resistant	
 Frost resistance	EN ISO 10545-12	Pass according to ISO 10545-1	* Resistant	
Resistance to low concentrations of acids and alkali		Declared value	* Resistant	
 Resistance to high concentrations of acids and alkali	EN ISO 10545-13	Declared value	* Resistant	
Resistance to domestic chemicals and additives for swimming pools		UB min.	UA	
 - Stain resistance of unglazed matte porcelain	EN ISO 10545-14	Declared value	* Resistant	
	DIN 51130		Value available upon request	
 Slip resistance	DIN 51097	If needed	Value available upon request	
	B.C.R.A. - D.M.236/89 ANSI A326.3 D COF		> 0,40 Dry / > 0,40 Wet ≥ 0,42 Wet	

* It's advisable to refer Project Department for all necessary guidelines to a correct use.

LUSSO20

Arkesden Road,
Clavering, Saffron Walden CB11 4QU

+44 (0) 1708 550 910
sales@lusso20.co.uk

 Lusso20 |  Lusso20_UK |  Lusso20_UK |  Lusso20

 Lusso20 |  Lusso20

www.lusso20.co.uk